

承认书

SPECIFICATION FOR APPROVAL

客 户:

CUSTOMER

产 品 名 称:

DESCRIPTION

HF-Choke

产品型号:

TYPE

客户部品号:

CUS PART NO.

本厂部品号 :

VENDOR PART NO.

BX1016-140mH

生 产 方:

MANUFACTURER

拟 制	审 核	批 准
DRAWN BY	CHECKED BY	APPROVED BY

客 户:

CUSTOMER

审 核	批 准
CHECKED BY	APPROVED BY

常州市南方电器元件厂有限公司

CHANGZHOU SOUTHERN ELECTRONIC ELEMENT FACTORY CO. LTD

地址: 江苏常州市花园桥西

ADDRESS: West huayuan bridge changzhou jiansu China

电话: 0519-83280538 83976700 83976620

TEL

传真: 0519-83295710

FAX


Web:<http://nfdq.en.alibaba.com>

邮 编: 213016

POSTCODE

E-mail:candyleenfdq@gmail.com

承 认 书

用 户 CUSTOMER		部 品 名 称 PART NAME	HF-Choke	
部 品 型 号 PART TYPE	BX1016-140mH	用 户 部 品 号 CUSTOMER NO		
外形尺寸 OUTSIDE DIMENSION UNIT:mm				
 The drawing shows two views of the HF-Choke. The top view is a side profile with dimensions: a top width of 11max, a total height of 18.25max, and a base thickness of 2.5. The bottom view is a top-down circular view with three pins labeled 1, 2, and 3. Pin 2 is the central pin, and pins 1 and 3 are on the sides. Dimensions for the top view include a pin diameter of $\Phi 0.6$, a pin length of 5.6, a distance of 5 between pins 1 and 3, and a distance of 7 from the center to the edge.				
DRAWN BY			REMARK	PAGE
CHECKED BY			版 本: B Version: B	1/2
APPROVED BY				
常州市南方电器元件厂有限公司 CHANGZHOU SOUTHERN ELECTRONIC ELEMENT FACTORY CO. LTD				

承 认 书

用 户 CUSTOMER		部 品 名 称 PART NAME	HF-Choke
部 品 型 号 PART TYPE	BX1016-140mH	用 户 型 号 CUSTOMER NO	

3,电性能参数 Electrical Characteristics (T_a= 25℃ If not specified)

NO.	项 目 ITEM	标 准 STANDARD	测 试 条 件 Test Conditions	INFO
3-1	电感值 Inductance	L1-2=1.4mH ±20 % L2-3=140mH ±20%	F=4KHz	TH2773A
3-2	直流铜阻 DC Resistance	R1-2=4.0 Ω ±10% R2-3=180 Ω ±10%		HM2541

4,Environment

Ambient temperature : -20℃ to +85℃

Maximum core and winding temperature: 125℃

5,材料明细表 Material List

NO.	名 称 ITEM	材 料 MATERIAL	UL 证书号 UL FILE NO.
5-1	磁芯 Core	DR3W 10×16×5	
5-2	漆包线 Copper wire	1-2: UEW/Ø0.13mm 2-3: UEW/Ø0.07mm	E158909
5-3	套管 Heathrinkable tube	UL Ø10 black	E180908
5-4	引针 Lead wire	Ø0.6 CP wires	
5-5	环氧胶 Epoxy	3300A/B	E253983

6,备注 INFO



本产品符合欧共体 ROHS 要求:

DRAWN BY			REMARK	PAGE
CHECKED BY			版 本: B	2/2
APPROVED BY			Version: B	

常州市南方电器元件厂有限公司

CHANGZHOU SOUTHERN ELECTRONIC ELEMENT FACTORY CO. LTD